SD240528-003 page 1 of 1

PharmLabs San Diego Certificate of Analysis

Sample GRDNT-SNOWCAP-PINA CLOUDLADA-5G

QA Testing



Delta9 THC 0.23% THCa 32.18% Total THC (THCa * 0.877 + THC) 28.46%

Analyses executed CANX, MWA

Cannabigerol (CBG)

1(S)-Tetrahydrocannabidiol (1(S)-H4-CBD)

1(R)-Tetrahydrocannabidiol (1(R)-H4-CBD)

 Δ 8-tetrahydrocannabivarin (Δ 8-THCV)

Tetrahydrocannabivarin (THCV)

Tetrahydrocannabutol (Δ9-THCB)

Tetrahydrocannabinol (Δ9-THC)

 $\Delta 8$ -tetrahydrocannabinol ($\Delta 8$ -THC)

Hexahydrocannabinol (S Isomer) (9s-HHC)

Hexahydrocannabinol (R Isomer) (9r-HHC)

Tetrahydrocannabinolic Acid (THCA)

Cannabinol Acetate (CBNO)

Δ8-THC-O-acetate (Δ8-THCO)

Δ9-THC-O-acetate (Δ9-THCO)

9(S)-HHC-O-acetate (s-HHCO)

9(R)-HHC-O-acetate (r-HHCO)

Total THC (THCa * 0.877 + A9THC)

Total CBD (CBDa * 0.877 + CBD)

Total CBG (CBGa * 0.877 + CBG)

Total HHC (9r-HHC + 9s-HHC)

Total Cannabinoids Analyzed

Cannabicitran (CBT)

9(S)-HHCP (s-HHCP)

9(R)-HHCP (r-HHCP)

 Δ 9-Tetrahydrocannabihexol (Δ 9-THCH)

Δ9-Tetrahydrocannabiphorol (Δ9-THCP)

 Δ 8-Tetrahydrocannabiphorol (Δ 8-THCP)

3-octyl- Δ 8-Tetrahydrocannabinol (Δ 8-THC-C8)

Total THC + Δ 8THC + Δ 10THC (THCa * 0.877 + Δ 9THC + Δ 8THC + Δ 10THC)

(6aR,9S)-Δ10-Tetrahydrocannabinol ((6aR,9S)-Δ10)

(6aR,9R)-Δ10-Tetrahydrocannabinol ((6aR,9R)-Δ10)

Cannabidihexol (CBDH)

Cannabidiphorol (CBDP)

Cannabinol (CBN)

exo-THC (exo-THC)

Cannabidiol (CBD)

Delta8 THC 9.41%

Sample ID SD240528-003 (94754) Tested for A8 Industries Sampled Received May 28, 2024 Matrix Flower (Inhalable Cannabis Good)

0.001

0.001

0.013

0.025

0.001

0.021

0.005

0.013

0.001

0.015

0.005

0.003

0.004

0.015

0.017

0.007

0.016

0.001

0.024

0.014

0.017

0.041

0.005

0.076

0.031

0.066

0.026

0.005

0.008

0.067

Reported May 29, 2024

0.16

0.16

0.041

0.075

0.16

0.064

0.16

0.038

0.16

0.047

0.16

0.16

0.16

0.16

0.16

0.16

0.16

0.16

0.071

0.043

0.16

0.16

0.16

0.16

0.094

0.16

0.079

0.16

0.025

0.204

Result mg/g

ND

ND

ND ND

ND

0.60

7.66

159

ND

ND

ND

ND

ND

ND

ND

0.87

ND

ND

2.34

94.10

ND

ND

ND

ND

321.83

ND

284.58

378.68

0.53

8.31

ND

388.39

0.77

0.16

ND

ND

ND

ND

ND

ND

ND

0.09

ND

ND

0.23

9.41

ND

ND

ND

ND

32.18

ND

28.46

37.87

0.05

0.83

ND

38.84

CANX - Cannabinoids Analysis

Analyzed May 29, 2024 Instrument HPLC-VWD Method SOP-001 The expanded Uncertainty of the Cannabinoid analysis is approximately J .81% at the 95% Confidence Level			
Analyte	LOD mg/g	LOQ mg/g	Result %
11-Hydroxy-∆8-Tetrahydrocannabivarin (11-Hyd-∆8-THCV)	0.013	0.041	ND
Cannabidiorcin (CBDO)	0.002	0.007	ND
Abnormal Cannabidiorcin (a-CBDO)	0.01	0.031	ND
(+/-)-9B-hydroxy-Hexahydrocannibinol (9b-HHC)	0.012	0.036	ND
11-Hydroxy-∆8-Tetrahydrocannabinol (11-Hyd-∆8-THC)	0.007	0.021	ND
Cannabidiolic Acid (CBDA)	0.001	0.16	0.06
Cannabiaeral Acid (CBGA)	0.001	0.16	0.77



*Dry Weight %

MWA - Moisture Content & Water Activity Analysis

Analyzed May 28, 2024 Instrument Chilled-mirror Dewpoint and Capacitance Method SOP-008										
Analyte	LOD %	LOQ %	Result	Limit	Analyte	LC	D LOQ	Result	Limit	
Moisture (Moi)	0.0	0.0	5.7 % Mw	13 % Mw	Water Activity (WA)	0.	0.03	0.41 a _w	0.85 a _w	



DCC license: C8-0000098-LIC DEA license: RP0611043 ISO/IEC 17025:2017 Acc. L17-427-1



Authorized Signature Brandon Starr

Brandon Starr, Lab Manager Wed, 29 May 2024 10:27:09 -0700

PharmLabs San Diego | 3421 Hancock St. Second Floor. San Diego. CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1 "This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an '5s received' back indicated for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail service and back indicated for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail service and back indicated on the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail service.



